Package: cransays (via r-universe)

September 26, 2024
Title Creates an Overview of CRAN Incoming Submissions
Version 0.0.0.9000
Description It scrapes the CRAN incoming FTP folder to find where each submission is.
License MIT + file LICENSE
<pre>URL https://github.com/r-hub/cransays,</pre>
https://r-hub.github.io/cransays/
BugReports https://github.com/r-hub/cransays/issues
Imports curl, dplyr, glue, lubridate, magrittr, prettyunits, ps, purrr, reactable, tibble, tidyr, utils
Suggests knitr, pkgdown, rmarkdown
VignetteBuilder knitr
Encoding UTF-8
LazyData true
RoxygenNote 7.1.2
Repository https://maelle.r-universe.dev
RemoteUrl https://github.com/lockedata/cransays
RemoteRef HEAD
RemoteSha 6fee0071e425a5cf1082ce5c91c8745045b64fc7
Contents
download_history take_snapshot
Index

2 take_snapshot

download_history

Downloads history

Description

Downloads history of packages on the submission queue as recorded on github branch.

Usage

download_history()

Details

For some periods github actions recording the data didn't run, so there are some periods with missing data.

Value

A 'data.frame' with columns: - 'package': the package name - 'version': the package submitted version - 'snapshot_time': time of the **cransays** snapshot, in '"Europe/Vienna"' timezone, same, as the CRAN servers. - 'folder': folder where the submitted package is stored at the time of the snapshot - 'subfolder': subfolder where the submitted package is stored at the time of the snapshot - 'submission_time': time when the package was submitted to CRAN, in '"Europe/Vienna"' timezone, same as the CRAN servers

take_snapshot

Take Snapshot of CRAN incoming folder

Description

Take Snapshot of CRAN incoming folder

Usage

take_snapshot()

Value

A data.frame, one line per submission.

Index

 ${\tt download_history, 2}$

take_snapshot, 2